


FLOOR PLAN GENERAL NOTES

1. It is the responsibility of the General Contractor to verify all existing conditions prior to construction. Any discrepancies shall be brought to the attention of the Architect.
2. Provide a portable 2A 10BC fire extinguisher on site during construction.
3. All new walls shall be 4", 22 ga metal studs @ 16" o.c. with R-13 batt insulation, full height to bottom of existing ceiling, or 1" below bottom of existing exposed utility lines. Coordinate in field.
4. All new demising walls shall be 6", 22 ga metal studs @ 16" o.c. with R-19 insulation, full height to bottom of existing ceiling, u.n.o.
5. All plumbing walls shall be 6", 22 ga metal studs @ 16" o.c. with R-19 batt insulation, full height to bottom of existing ceiling, u.n.o.
6. All plumbing for TOILET 116 and TOILET 124 are existing.
7. Fire extinguishers shall be a 2A 10BC in semi-recessed cabinet (Larsens 2409-R7; Vertical Duo, white enamel with lock) Mount at +48" to centerline of valve handle.
8. Suite address shall be a minimum of 6" high letters, visible from the street or per fire inspector's recommendations.


FLOOR PLAN REFERENCE NOTES

1. EXIST STRUCT COLUMN TO REMAIN
2. EXIST WALL TO REMAIN
3. NEW 6" MTL STUD WALL
4. LINE OF SOFFIT ABV
5. 30' X 30' ATTIC ACCESS
6. MECH UNIT ABOVE, SUSPENDED FROM FLOOR TRUSSES ABOVE
7. FIRE EXTINGUISHER IN CABINET
8. SIGN "EXIT", REFER TO DET 43/A-2
9. FUTURE DEMISING WALL, SHOWN DASHED
10. WORK STATION, N.I.C.
11. ELECTRIC PANEL



WALL LEGEND

- EXIST SHELL BLDG WALL
- NEW METAL STUD WALL



Architecture, Planning & Graphics

3450 Broad Street, Suite 106
San Luis Obispo, California 93401
805.541.5604 voice
805.541.4371 fax

These drawings are instruments of service and are property of Steven D. Pults, AIA & Associates, LLP. All design and other information on the drawings are for use on the specified project and shall not be used otherwise without the expressed written permission of Steven D. Pults, AIA & Associates, LLP.

Project:

LEASE IMPROVEMENT

SYCAMORE LEASE

3590 SACRAMENTO DRIVE
SUITES 110 & 120
SAN LUIS OBISPO
CA 93401

Client:



815 FIERO LANE
SUITE B
SAN LUIS OBISPO
CA 93401
(805) 543 - 0560

Sheet Contents:

FLOOR PLAN



Date: 13 APR 10
Revised: 26 APR 10

Job No:

1024

Sheet:

A-1